

**Accepted Names
In the Genus *Acer***

The Maple Society Species Working Group
(version 6 November 2019)
Copyright 2019 The Maple Society

Species	Authority	Comments
<i>Acer acuminatum</i>	Wallich ex D. Don (1825)	
<i>Acer acutum</i>	Fang (1932)	
<i>Acer albopurpurascens</i>	Hayata (1911)	
<i>Acer anhweiense</i>	Fang & Fang	
<i>Acer amamiense</i>	T. Yamaz	
<i>Acer amoenum</i>	(Carriere) Hara (1954)	
<i>Acer amoenum</i> var. <i>matsumurae</i>	Koidzumi (1911)	
<i>Acer amplum</i>	Rehder in Sargent (1911)	
<i>Acer amplum</i> subsp. <i>bodinieri</i>	(H. Lev.) Y. S. Chen	
<i>Acer amplum</i> subsp. <i>catalpifolium</i>	(Rehder) Chen (2008)	
<i>Acer amplum</i> subsp. <i>tientaiense</i>	(C. K. Schneider) Y. S. Chen	
<i>Acer argutum</i>	Maximowicz (1867)	
<i>Acer barbinerve</i>	Maximowicz (1867)	
<i>Acer binzayedii</i>	Vargas-Rodriguez	
<i>Acer buergerianum</i>	Miquel (1865)	
<i>Acer buergerianum</i> var. <i>horizontale</i>	Metcalf (1942)	
<i>Acer buergerianum</i> var. <i>jiujiangense</i>	Yu (1943)	
<i>Acer buergerianum</i> var. <i>kaiscianense</i>	Fang (1939)	
<i>Acer buergerianum</i> var. <i>yentangense</i>	Fang (1966)	
<i>Acer buergerianum</i> var. <i>formosanum</i>	(Hayata) Murray & Lauener (1967)	
<i>Acer caesium</i>	Wallich ex Brandis (1874)	
<i>Acer caesium</i> subsp. <i>giraldii</i>	(Pax) Murray (1969)	
<i>Acer calcaratum</i>	Gagnepain (1948)	
<i>Acer campbellii</i>	Hooker & Thomson ex Hiern in Hooker f. (1875)	
<i>Acer campestre</i>	L. (1753)	
<i>Acer capillipes</i>	Maximowicz (1867)	
<i>Acer cappadocicum</i>	Gleditsch (1785)	
<i>Acer cappadocicum</i> subsp. <i>sinicum</i>	(Rehder) Handel-Mazzetti (1933)	

<i>Acer carpinifolium</i>	Siebold & Zuccarrini (1845)	
<i>Acer caudatifolium</i>	Hayata (1911)	
<i>Acer caudatum</i>	Wallich (1830)	
<i>Acer chiangdaoense</i>	Santisuk	
<i>Acer chienii</i>	Hu & Cheng (1948)	
<i>Acer chingii</i>	Hu (1930)	
<i>Acer chunii</i>	Fang (1937)	
<i>Acer chunii</i> subsp. <i>dimorphophyllum</i>	Fang (1979)	
<i>Acer circinatum</i>	Pursh (1814)	
<i>Acer cissifolium</i>	(Siebold & Zuccarini) K. Koch (1864)	
<i>Acer confertifolium</i>	Merrill & Metcalf (1937)	
<i>Acer cordatum</i>	Pax (1889)	
<i>Acer coriaceifolium</i>	Leveille (1912)	
<i>Acer crassum</i>	Hi & Cheng (1948)	
<i>Acer crataegifolium</i>	Siebold & Zuccarrini (1845)	
<i>Acer davidii</i>	Franchet (1885)	
<i>Acer davidii</i> subsp. <i>grosseri</i>	(Pax) de Jong, comb. & stat. nov.	
<i>Acer diabolicum</i>	Blume ex Koch (1864)	
<i>Acer distylum</i>	Siebold & Zuccarini (1845)	
<i>Acer divergens</i>	Koch ex PaX	
<i>Acer duplicatoserratum</i>	Hayata (1911)	
<i>Acer elegantulum</i>	Fang & Chiu (1979)	
<i>Acer erianthum</i>	Schwerin (1901)	
<i>Acer erythranthum</i>	Gagnepain (1948)	
<i>Acer fabri</i>	Hance (1884)	
<i>Acer fenzelianum</i>	Handel-Mezzetti (1933)	
<i>Acer flabellatum</i>	Rehder in Sargent (1911)	
<i>Acer floridanum</i>	(Chapman) Desmarais (1952)	
<i>Acer forrestii</i>	Diels (1912)	
<i>Acer fulvescens</i>	Rehder in Sargent (1911)	
<i>Acer glabrum</i>	Torrey (1828)	

<i>Acer glabrum</i> var. <i>douglasii</i>	(Hooker) Wesmael (1890)	
<i>Acer glabrum</i> var. <i>diffusum</i>	(Greene) F. Smiley (1921)	
<i>Acer glabrum</i> var. <i>neomexicanum</i>	(Greene) Kearney & Peebles (1939)	
<i>Acer gracilifolium</i>	Fang & Fu (1981)	
<i>Acer granatense</i>	Boissier (1838)	
<i>Acer grandidentatum</i>	(Torrey & Gray) Desmarais (1952)	
<i>Acer griseum</i>	(Franchet) Pax (1933)	
<i>Acer heldreichii</i>	Orphanides ex Boissier (1856)	
<i>Acer heldreichii</i> subsp. <i>trautvetteri</i>	(Medvedev) Murray (1982)	
<i>Acer henryi</i>	Pax (1889)	
<i>Acer heptaphlebium</i>	Gagnepain	
<i>Acer hilaense</i>	Hu & Cheng (1948)	
<i>Acer hookeri</i>	Miquel (1867)	
<i>Acer hyrcanum</i>	Fischer & Meyer (1837)	
<i>Acer hyrcanum</i> subsp. <i>intermedium</i>	(Pancic) Bornmuller (1894)	
<i>Acer hyrcanum</i> subsp. <i>keckianum</i>	(Pax) Yaltirik (1967)	
<i>Acer hyrcanum</i> subsp. <i>reginae-amaliae</i>	(Orphanides ex Boissier) Murray (1970)	
<i>Acer hyrcanum</i> subsp. <i>sphaerocarpum</i>	Yaltrick (1967)	
<i>Acer hyrcanum</i> subsp. <i>stevenii</i>	(Pojarkova) Murray (1969)	
<i>Acer hyrcanum</i> subsp. <i>tauricolum</i>	(Boissier & Balansa) Yaltirik (1967)	
<i>Acer japonicum</i>	Thunberg ex Murray (1784)	
<i>Acer komarovii</i>	Pojark in Komarov (1949)	
<i>Acer kungshanense</i>	Fang & Chang (1966)	
<i>Acer kuomeii</i>	Fang & Fang f. (1966)	
<i>Acer kwangnanense</i>	Hu & Cheng (1948)	
<i>Acer kweilinense</i>	Fang & Fang f. (1966)	
<i>Acer laevigatum</i>	Wallich (1830)	
<i>Acer laevigatum</i> var. <i>salweenense</i>	(W. W. Smith) J. M. Cowan ex Fang (1939)	
<i>Acer laurinum</i>	Hasskarl (1843)	
<i>Acer laxiflorum</i>	Pax in Engler (1902)	
<i>Acer leipoense</i>	Fang & Soong (1966)	
<i>Acer leucoderme</i>	(Small) Desmarais (1952)	

<i>Acer lobelii</i>	Ten.	
<i>Acer longipes</i>	Franchet ex Rehder (1905)	
<i>Acer lucidum</i>	Metcalf (1932)	
<i>Acer lungshengense</i>	Fang & Hu (1966)	
<i>Acer macrophyllum</i>	Pursh (1814)	
<i>Acer mandshuricum</i>	Maximowicz (1867)	
<i>Acer maximowiczianum</i>	Miquel (1867)	
<i>Acer maximowiczii</i>	Pax (1897)	
<i>Acer mazandaranicum</i>	H. Zare & Assadi	
<i>Acer metcalfii</i>	Rehder (1933)	
<i>Acer miaoshanicum</i>	Fang (1966)	
<i>Acer miaotaiense</i>	Tsoong (1954)	
<i>Acer micranthum</i>	Siebold & Zuccarini (1845)	
<i>Acer miyabei</i>	Maximowicz (1888)	
<i>Acer miyabei</i> var. <i>shibatai</i>	(Nakai) Hara (1951)	
<i>Acer monspessulanum</i>	L. (1753)	
<i>Acer monspessulanum</i> subsp. <i>assyriacum</i>	(Pojarkova) Rechinger f. (1969)	
<i>Acer monspessulanum</i> subsp. <i>cinerascens</i>	(Bossier) Yaltirik (1967)	
<i>Acer monspessulanum</i> subsp. <i>ibericum</i>	Yaltirick (1967)	
<i>Acer monspessulanum</i> subsp. <i>microphyllum</i>	(Bossier) Bornmuller (1914)	
<i>Acer monspessulanum</i> subsp. <i>oksalianum</i>	Yaltirick (1967)	
<i>Acer monspessulanum</i> subsp. <i>persicum</i>	(Pojarkova) Rechinger f. (1969)	
<i>Acer monspessulanum</i> subsp. <i>turcomanicum</i>	(Pojarkova) Murray (1969)	
<i>Acer morifolium</i>	Koidzumi (1914)	
<i>Acer negundo</i>	L. (1793)	
<i>Acer negundo</i> subsp. <i>californicum</i>	(Torrey & Grey) Wesmael (1890)	
<i>Acer negundo</i> subsp. <i>mexicanum</i>	(DC.) Wesmael (1890)	
<i>Acer negundon</i> var. <i>texanum</i>	Pax	
<i>Acer nigrum</i>	(Michaux f.) Desmarais (1952)	
<i>Acer nipponicum</i>	Hara (1938)	
<i>Acer oblongum</i>	Wallich ex DC. (1824)	

<i>Acer oblongum</i> var. <i>itoanum</i>	(Hayata) Li (1952)	
<i>Acer oblongum</i> var. <i>omeiense</i>	Fang & Soong (1979)	
<i>Acer obtusifolium</i>	Sibthorp & Smith (1809)	
<i>Acer okamotoanum</i>	(Nakai) H. Ohashi	
<i>Acer oligocarpum</i>	Fang & Hu (1979)	
<i>Acer oliverianum</i>	Pax (1889)	
<i>Acer opalus</i>	P. Miller (1768)	
<i>Acer opalus</i> subsp. <i>obtusatum</i>	(Willdenow) Gams (1925)	
<i>Acer osmastonii</i>	Gamble	
<i>Acer paihengii</i>	Fang (1966)	
<i>Acer palmatum</i>	Thunberg ex Murray (1784)	
<i>Acer pauciflorum</i>	Fang (1932)	
<i>Acer paxii</i>	Franchet (1886)	
<i>Acer pectinatum</i>	Wallich ex Nicholson (1881)	
<i>Acer pectinatum</i> subsp. <i>taronense</i>	(Handel-Mazzetti) Murray (1977)	
<i>Acer pensylvanicum</i>	L. (1753)	
<i>Acer pentaphyllum</i>	Diels (1931)	
<i>Acer pentapomicum</i>	Stewart ex Brandis (1874)	
<i>Acer pictum</i>	Thunberg ex Murray (1784)	
<i>Acer pictum</i> subsp. <i>dissectum</i>	(Wesm) H. Ohashi	
<i>Acer pictum</i> subsp. <i>dissectum</i> f. <i>connivens</i>	(G. Nicholson) H. Ohashi	
<i>Acer pictum</i> subsp. <i>dissectum</i> f. <i>piliferum</i>	(K. Ogata) H. Ohashi	
<i>Acer pictum</i> subsp. <i>glaucum</i>	(Koidz) H. Ohashi	
<i>Acer pictum</i> subsp. <i>macropterum</i>	(W.P.Fang) H. Ohashi	
<i>Acer pictum</i> subsp. <i>mayrii</i>	(Schwerin) Nakai (1930)	
<i>Acer pictum</i> subsp. <i>mono</i>	(Maximowicz) H. Ohashi (1993)	
<i>Acer pictum</i> subsp. <i>pubigerum</i>	(W.P.Fang)	
<i>Acer pictum</i> f. <i>pulvigerum</i>	(K. Ogata) H. Ohashi	
<i>Acer pictum</i> subsp. <i>savatieri</i>	(Pax) H. Ohashi	
<i>Acer pictum</i> subsp. <i>taishakuense</i>	(Ogata) H. Ohashi	
<i>Acer pilosum</i>	Maximowicz (1880)	

<i>Acer pilosum</i> var. <i>stenolobum</i>	(Rehder) Fang (1966)	
<i>Acer platanoides</i>	L. (1753)	
<i>Acer poliophyllum</i>	Fang & Wu (1979)	
<i>Acer pseudoplatanus</i>	L. (1753)	
<i>Acer pseudosieboldianum</i>	(Pax) Komarov	
<i>Acer pseudowilsonii</i>	Y. S. Chen	
<i>Acer pubinerve</i>	Rehder in Sargent (1907)	
<i>Acer pubipalmatum</i>	Fang (1932)	
<i>Acer pubipetiolatum</i>	Hu & W.C. Cheng (1948)	
<i>Acer pubipetiolatum</i> var. <i>pingpienense</i>	Fang & Hu (1966)	
<i>Acer pycnanthum</i>	Koch (1864)	
<i>Acer rubescens</i>	Hayata (1911)	
<i>Acer rubrum</i>	L. (1753)	
<i>Acer rubrum</i> var. <i>drummondii</i>	(Nuttall) Sargent (1884)	
<i>Acer rufinerve</i>	Siebold & Zuccarini (1845)	
<i>Acer saccharinum</i>	L. (1753)	
<i>Acer saccharum</i>	Marshall (1785)	
<i>Acer saccharum</i> subsp. <i>ozarkense</i>	Murray (1978)	
<i>Acer saccharum</i> var. <i>rugelii</i>	(Pax) Rehder (1900)	
<i>Acer saccharum</i> var. <i>schneckii</i>	Rehder (1913)	
<i>Acer sempervirens</i>	L. (1767)	
<i>Acer serrulatum</i>	Hayata (1911)	
<i>Acer shenkanense</i>	Fang ex Fu (1981)	
<i>Acer shihweii</i>	Chun & Fang (1966)	
<i>Acer shirasawanum</i>	Koidzumi (1911)	
<i>Acer sieboldianum</i>	Miquel (1867)	
<i>Acer sikkimense</i>	Miquel (1867)	
<i>Acer sinense</i>	Pax, Hooker's Icon. 1897 1889	
<i>Acer sino-oblongum</i>	Metcalf (1932)	
<i>Acer sinopurpurascens</i>	Cheng (1931)	
<i>Acer skutchii</i>	(Rehder) Murray (1975)	

<i>Acer sosnowskyi</i>	Duloch	
<i>Acer spicatum</i>	Lamarck (1786)	
<i>Acer stachyophyllum</i>	Hiern in J. Hooker (1875)	
<i>Acer stachyophyllum</i> subsp. <i>betulifolium</i>	(Maximowicz) de Jong, comb. & stat. nov	
<i>Acer sterculiaceum</i>	Wallich (1830)	
<i>Acer sterculiaceum</i> subsp. <i>franchetii</i>	(Pax) Murray (1969)	
<i>Acer sutchuenense</i>	Franchet (1894)	
<i>Acer sycopseoides</i>	Chun (1932)	
<i>Acer takesimense</i>	(Nakai) de Jong comb. & stat. Nov	
<i>Acer tataricum</i>	L. (1753)	
<i>Acer tataricum</i> subsp. <i>aidzuense</i>	(Franchet) de Jong, comb & stat. nov.	
<i>Acer tataricum</i> subsp. <i>ginnala</i>	(Maximowicz) Wesmael (1890)	
<i>Acer tataricum</i> subsp. <i>semenovii</i>	(Regel & Herder) Murray (1982)	
<i>Acer tataricum</i> subsp. <i>theiferum</i>	(Fang) Chen & de Jong, comb. nov	
<i>Acer tegmentosum</i>	Maximowicz (1857)	
<i>Acer tenellum</i>	Pax (1889)	
<i>Acer tenellum</i> var. <i>septemlobum</i>	Fang & Soong (1979)	
<i>Acer tenuifolium</i>	(Koidz.) Koidz.	
<i>Acer thomsonii</i>	Miquel (1867)	
<i>Acer tibetense</i>	Fang (1939)	
<i>Acer tonkinense</i>	Lecompte (1912)	
<i>Acer triflorum</i>	Komarov (1901)	
<i>Acer truncatum</i>	Bunge (1833)	
<i>Acer tschonoskii</i>	Maximowicz (1886)	
<i>Acer tsinglingense</i>	Fang & C. C. Hsieh (1966)	
<i>Acer turkestanicum</i>	Pax in Engler (1902)	
<i>Acer tutcheri</i>	Duthie (1908)	
<i>Acer tutcheri</i> var. <i>shimadae</i>	Hayata (1911)	
<i>Acer ukurunduense</i>	(Trautvetter & Meyer) Murray (1966)	
<i>Acer undulatum</i>	Pojark	
<i>Acer velutinum</i>	Boissier (1846)	

<i>Acer velutinum</i> var. <i>vanvolxemii</i>	(Masters) Rehder (1938)	
<i>Acer wangchii</i>	Fang (1966)	
<i>Acer wardii</i>	W. W. Smoth (1917)	
<i>Acer wilsonii</i>	Rehder in Sargent (1905)	
<i>Acer yangbiense</i>	Chen & Yang (2003)	
<i>Acer yinkunii</i>	Fang (1966)	
<i>Acer yuii</i>	Fang (1934)	